



**RSF INTERNATIONAL TRADING INNOVATION  
& BUILDER SOLUTION**



## Aluminum Doors and Windows



# STANDARD COLOR CHOICE

Surface treatment :Powder coated, Electrophoresis,  
PVDF,Anodizing,or wood color  
Other colors or crafts can contact us for your custom

## Power coating




## Stock Color




# CUSTOMIZE ANY ALUMINUM DOORS AND WINDOWS DESIGN

Please send your drawings and requirements and we will customize them for you


## WINDOW




## SLIDING WINDOW / DOOR SERIES




## DOOR




## FOLDING SERIES



## SPECIAL



## SWING DOOR SERIES



# CONTENTS

## ALUMINUM THERMAL BREAK CASEMENT WINDOW SERIES

---

· 63 Series Casement Window	03/04
· E9Y Series Casement Window	05/06
· Y103 Series Casement Windows	07/08
· Y109 Series Casement Windows with Flyscreen	09/10
· K8Y Series Casement Window with Flyscreen	11/12
· K9Y Series Casement Window with Flyscreen	13/14
· Y118 Series Casement Window with Flyscreen	15/16
· Y136 Series Casement Window with Flyscreen	17/18
· 148 Series Casement Window with Flyscreen	19/20
· N93 Series Casement Windows with Flyscreen	21/22
· N103 Series Casement Windows with Flyscreen	23/24
· N112 Series Casement Windows with Flyscreen	25/26

## ALUMINUM SLIDING WINDOWS / SLIDING DOOR SERIES

---

· E2T Series Sliding Window	29/30
· 80 Series Sliding Window	31/32
· 105 Series Narrow Frame Sliding Door / Sliding Window	33/34
· 135D Series Sliding Door	35/36
· 135E Series Heavy Duty Sliding Door	37/38
· 135F Series Sliding Door	39/40
· 135 Series Narrow Frame Sliding Door	41/42
· 16 Series Narrow Frame Sliding Door / 3 Track Top Sliding Door / 4 Track Top Sliding Door	43/44
· 143 Series Thermal Break Sliding Door	45/46

## ALUMINUM SWING DOORS SERIES

---

· 80 Series Interior Swing Door	49/50
· 16 Series Narrow Frame Swing Door	51/52
· 70XT Series Thermal Break Swing Door / French Door	53/54
· P103 Series Thermal Break Swing Door / French Door	55/56

## ALUMINUM FOLDING DOORS SERIES

---

· 78 Series Thermal break folding door	59/60
· 93 Series Thermal break folding door	61/62

## ALUMINUM SUNROOM / SKYLIGHT SERIES

---

· Sunroom	65/66
· Electric Skylight	67/68

## OTHER SERIES

---

· Pivot Door	71/72
· Folding Window	71/72
· Aluminum Shutter	73/74
· Glass Louvre	73/74
· Curtain Wall	75/76
· Single / Double Hung Window	75/76
· Automatic Garage Doors	77/78

# ALUMINUM THERMAL BREAK CASEMENT WINDOW SERIES



- Three-way sealing design isobaric principle drainage
- National utility patent-six-point lock on all sides
- National Practical Patent-Built-in Diamond Wire Pressing Line





# SERIES CASEMENT

**63**

## CASEMENT WINDOW

- Thermal break aluminum profile
- National patent : Six-Point Lock



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.6mm
	OPENING WAY	Outward Opening / Awning
	GLASS	5mm+20A+5mm
	HARDWARE COLOR	Black/Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	HOPPE Handle
	HINGE	GU Hinge
	LOCK POINT	Stainless steel Six Point Lock
	AVAILABLE SIZE	Opening Panel (Width: 350-750/Height: 400-1500) Each Fixed panel ≤6m²

## CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Casement Stopper
- Hidden accessories For Awning
- Fingerprint Handle/Password Handle/Key handle





# SERIES CASEMENT

## E9Y CASEMENT WINDOW

- Thermal break aluminum profile
- The flyscreen panel with Aluminum corner protector
- Anti-theft design for flyscreen



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.8mm
	OPENING WAY	Outward Opening / Awning
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black / Silver / Bronze
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	Customized Black Two Point Lock
	ANTI-FALL ROPE	Standard Aluminum Anti -fall Rope (Bear weight 150KG )
	AVAILABLE SIZE	Opening Panel(Width: 350-750/Height: 400-1500) Each Fixed panel ≤6 m²

### CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Japan Import Flyscreen
- Fingerprint Handle/Password Handle/Key handle
- Casement Stopper
- Insulation Cotton
- Hidden accessories For Awning







# SERIES CASEMENT

## Y103 CASEMENT WINDOW

- Thermal break aluminum profile
- National patent : Six-Point Lock



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.0mm
	OPENING WAY	Outward Opening / Awning
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black/Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	Customized Black Six Point Lock
	AVAILABLE SIZE	Opening Panel (Width: 350-750/Height: 400-1500) Each Fixed panel ≤12m²

### CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Casement Stopper
- Fingerprint Handle/Password Handle/Key handle
- Hidden accessories For Awning





# SERIES CASEMENT

## Y109

### CASEMENT WINDOW WITH FLYSCREEN

- Thermal break aluminum profile
- The flyscreen panel with Aluminum corner protector
- 0.8mm SUS 304 stainless steel screen



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.8mm
	OPENING WAY	Outward Opening / Awning
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black/Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	Customized Black Two Point Lock
	AVAILABLE SIZE	Opening Panel (Width: 350-750/Height: 400-1500) Each Fixed panel ≤6m²

## CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Insulation Cotton
- Japan Import Flyscreen
- Casement Stopper
- Fingerprint Handle/Password Handle/Key handle
- Hidden accessories For Awning
- Fixed Fence Or Removable Fence





# SERIES CASEMENT

## K8Y CASEMENT WINDOW WITH FLYSCREEN

- Thermal break aluminum profile
- National patent : Six-Point Lock
- Anti-theft design for flyscreen
- Hidden drainage
- Triple insulated strip
- Flat design for Indoor & Outdoor



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.0mm
	OPENING WAY	Outward Opening / Awning
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black / Silver / Bronze
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	Customized Black Six Point Lock
	ANTI-FALL ROPE	Standard Aluminum Anti -fall Rope (Bear weight 150KG )
	AVAILABLE SIZE	Opening Panel(Width: 400-750/Height: 400-1500) Each Fixed panel ≤12 m²

## CUSTOMIZED

- 26A Magnet Blinds
- 27A Electric / Light Blinds
- Japan Import Flyscreen
- Fingerprint Handle/Password Handle/Key handle
- Casement Stopper





# SERIES CASEMENT

## K9Y

### CASEMENT WINDOW WITH FLYSCREEN

- Thermal break aluminum profile
- National patent : Six-Point Lock
- Anti-theft design for flyscreen
- Hidden drainage
- Triple insulated strip
- Flat design for Indoor & Outdoor




## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.0mm
	OPENING WAY	Outward Opening / Awning
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black / Silver / Bronze
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	Customized Black Six Point Lock
	ANTI-FALL ROPE	Standard Aluminum Anti -fall Rope (Bear weight 150KG )
	AVAILABLE SIZE	Opening Panel(Width: 400-750/Height: 400-1500) Each Fixed panel ≤12 m²

## CUSTOMIZED

- 26A Magnet Blinds
- 27A Electric / Light Blinds
- Japan Import Flyscreen
- Fingerprint Handle/Password Handle/Key handle
- Casement Stopper
- Fixed Fence 、 Removable Fence  
or open Security fence
- Insulation Cotton







# SERIES CASEMENT

## Y118

### CASEMENT WINDOW WITH FLYSCREEN

- Thermal break aluminum profile
- The flyscreen panel with Aluminum corner protector
- 0.8mm SUS 304 stainless steel screen
- Hidden drainage design




## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.4mm
	OPENING WAY	Outward Opening / Awning
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black/Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	Customized Black Six Point Lock
	AVAILABLE SIZE	Opening Panel (Width: 350-750/Height: 400-1500) Each Fixed panel ≤6m²

## CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Insulation Cotton
- Japan Import Flyscreen
- Casement Stopper
- Fingerprint Handle/Password Handle/Key handle
- Hidden accessories For Awning
- Security Fence
- 5+12A+5+12A+5 Glass








# SERIES CASEMENT

## Y136

### CASEMENT WINDOW WITH FLYSCREEN

- Thermal break aluminum profile
- National patent : Six-Point Lock
- 0.8mm SUS 304 stainless steel screen



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.0mm
	OPENING WAY	Outward Opening / Awning
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black/Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	Customized Black Six Point Lock
	AVAILABLE SIZE	Opening Panel (Width: 350-750/Height: 400-1500) Each Fixed panel ≤ 12m²

## CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Insulation Cotton
- Japan Import Flyscreen
- Casement Stopper
- Fingerprint Handle/Password Handle/Key handle
- Fixed Fence Or Opening Fence
- Security Fence







# SERIES CASEMENT

## Y148

### CASEMENT WINDOW WITH FLYSCREEN

- Thermal break aluminum profile
- National patent : Six-Point Lock
- 0.8mm SUS 304 stainless steel screen



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	3.0mm
	OPENING WAY	Outward Opening / Awning
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black/Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	Germany HOPPE
	HINGE	GU Hinge
	LOCK POINT	Stainless steel Black Six Point Lock
	AVAILABLE SIZE	Opening Panel (Width: 350-750/Height: 400-1500) Each Fixed panel ≤12m²

## CUSTOMIZED

- 23A Magnet Blinds
- Security Fence
- Security Fence
- Casement Stopper
- Fingerprint Handle/Password Handle/Key handle
- Hidden accessories For Awning








# SERIES CASEMENT

## N93

### CASEMENT WINDOW WITH FLYSCREEN

- Thermal break aluminum profile
- National patent : Six-Point Lock
- 0.8mm SUS 304 stainless steel screen



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.4mm
	OPENING WAY	Inward Opening / Tilt and Turn
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black/Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	WEHAG Lock point
	AVAILABLE SIZE	Opening Panel (Width: 508-1000/Height: 500-2000) Each Fixed panel ≤6m²

## CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Insulation Cotton
- Japan Import Flyscreen
- Glass Fence
- Fingerprint Handle/Password Handle/Key handle
- 5+12A+5+12A+5 Glass
- Hidden 180 Degree Tilt and Turn Accessories







# SERIES CASEMENT

## N103

### CASEMENT WINDOWS WITH FLYSCREEN

- Thermal break aluminum profile
- Tilt and Turn Window
- 0.8mm SUS 304 stainless steel screen
- 35.3mm Super-wide custom made nylon insulation strips



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.0mm
	OPENING WAY	Inward Opening / Tilt and Turn
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black/Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	WEHAG Lock point
	AVAILABLE SIZE	Opening Panel (Width: 508-1000/Height: 500-2000) Each Fixed panel ≤6m <sup>2</sup>

## CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Insulation Cotton
- Japan Import Flyscreen
- Glass Fence
- Fingerprint Handle/Password Handle/Key handle
- 5+12A+5+12A+5 Glass
- Hidden 180 Degree Tilt and Turn Accessories






# SERIES CASEMENT

## N112

### CASEMENT WINDOWS WITH FLYSCREEN

- Thermal break aluminum profile
- Tilt and Turn Window
- 0.8mm SUS 304 stainless steel screen
- 44mm Super-wide Nylon insulation strip



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.0mm
	OPENING WAY	Inward Opening / Tilt and Turn
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Black/Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HARDWARE	WEHAG Handle
	HINGE	WEHAG Hinge
	LOCK POINT	WEHAG Lock point
	AVAILABLE SIZE	Opening Panel (Width: 508-1000/Height: 500-2000) Each Fixed panel ≤6m²

## CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Insulation Cotton
- Japan Import Flyscreen
- Glass Fence
- Fingerprint Handle/Password Handle/Key handle
- 5+12A+5+12A+5 Glass
- Hidden 180 Degree Tilt and Turn Accessories





# ALUMINUM SLIDING WINDOW / DOOR SERIES



- Three-way sealing design isobaric principle drainage
- National utility patent-six-point lock on all sides
- National Practical Patent-Built-in Diamond Wire Pressing Line



# SERIES SLIDING

## E2T THERMAL BREAK SLIDING WINDOW

- Thermal break aluminum profile
- Anti-theft design for flyscreen
- High low track design -Inside high outside low
- Hidden drainage



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.8mm
	OPENING WAY	Two Tracks / Three Tracks with Flyscreen
	GLASS	5mm+15A+5mm
	HARDWARE COLOR	Silver / Bronze
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	FLUSH LOCK	Aluminum Flush Lock with Key
	WHEEL	Customized Mute two Wheel
	LOCK POINT	Automatic Lock
	AVAILABLE SIZE	Opening Panel(Width: 350-1100/Height: 500-2100)

## CUSTOMIZED

- Sliding Stopper







# SERIES SLIDING

## 80Z SLIDING WINDOW

- High Low Track Design, Waterproof
- Hidden drainage design



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.4mm
	OPENING WAY	Two Tracks / Three Tracks
	GLASS	5mm+15A+5mm
	HARDWARE COLOR	Silver / Golden
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	FLUSH LOCK	HOPO Automatic Hook Lock
	LOCK POINT	HOPO Lock Point
	WHEEL	Customized Mute two Wheel
	AVAILABLE SIZE	Opening Panel (Width: 350-1100/Height: 500-2100)

### CUSTOMIZED

- Flush Lock with Key
- Sliding Stopper
- Lower track optional Copper strip and high rail






# SERIES SLIDING

## 105Z

### NARROW FRAME SLIDING DOOR / SLIDING WINDOW

- Narrow Frame Design
- Stainless Steel Lock Point



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.3mm
	OPENING WAY	Two Tracks / Three Tracks
	GLASS	5mm+12A+5mm
	HARDWARE COLOR	Silver/Black
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	FLUSH LOCK	PAG Aluminum Hook Lock
	LOCK POINT	Stainless Steel Single Hook Lock
	WHEEL	Customized Mute two Wheel
	AVAILABLE SIZE	Opening Panel (Width: 350-1200 / Height: 500-2700)

## CUSTOMIZED

- Sliding Stopper
- Anti Typhoon Anti Balance Wheel
- Copper strip, 35 high rail, high rail, low rail







# SERIES SLIDING

## 135D SLIDING DOOR



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.8mm
	OPENING WAY	Two Tracks / Three Tracks
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Silver / Golden
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	FLUSH LOCK	PAG Aluminum Hook Lock
	HANDLE	310mm Aluminum Handle
	LOCK POINT	Stainless Steel Single Hook Lock
	WHEEL	Customized Mute two Wheel
	AVAILABLE SIZE	Opening Panel (Width: 580-1800 / Height: 800-3000)

### CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Dashpot
- Fingerprint Lock
- Lock Core With Key
- Copper strip, high rail, 35 high rail, low rail, waterproof high rail is available





# SERIES SLIDING

## 135E HEAVY DUTY SLIDING DOOR

· Heavy Duty Sliding Door



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.8mm
	OPENING WAY	Two Tracks / Three Tracks
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Silver / Golden
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	FLUSH LOCK	PAG Aluminum Hook Lock
	HANDLE	310mm Aluminum Handle
	LOCK POINT	Stainless Steel Single Hook Lock
	WHEEL	Customized Mute two Wheel
	AVAILABLE SIZE	Opening Panel (Width: 580-1800 / Height: 800-3000)

### CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Dashpot
- Fingerprint Lock
- Lock Core With Key
- Copper strip, high rail,35 high rail, low rail, waterproof high rail is available







# SERIES SLIDING

## 135F SLIDING DOOR

- Anti-typhoon and Anti-swing upper wheel
- Floor drain drainage structure



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.2mm
	OPENING WAY	Two Tracks / Three Tracks
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	FLUSH LOCK	WEHAG Aluminum Flush Lock
	HANDLE	HOPO Aluminum Handle
	LOCK POINT	304 Stainless Steel Single Hook Lock
	WHEEL	Customized Mute Four Wheel
	AVAILABLE SIZE	Opening Panel ( Width: 580-2000 / Height: 800-3000)

### CUSTOMIZED

- 26A Magnet Blinds
- 27A Electric / Light Blinds
- Lock Core With Key
- Fingerprint Lock
- Dashpot
- Copper strip,Hidden drainage high rails, high rail,35 high rail, low rail, waterproof high rail is available





# SERIES SLIDING

## 135 NARROW FRAME SLIDING DOOR

- Narrow Frame Design
- Stainless Steel Lock Point



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.8mm
	OPENING WAY	Two Tracks / Three Tracks
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Silver / Black
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	FLUSH LOCK	PAG Aluminum Hook Lock
	LOCK POINT	Stainless Steel Single Hook Lock
	WHEEL	Customized Mute two Wheel
	AVAILABLE SIZE	Opening Panel (Width: 580-1800 / Height: 800-3000)

### CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Lock Core With Key
- Copper strip, high rail,35 high rail, low rail, waterproof high rail is available







# SERIES SLIDING

## 16

### NARROW FRAME SLIDING DOOR

3 TRACK TOP SLIDING DOOR /  
4 TRACK TOP SLIDING DOOR

- Narrow Frame Design
- Mute pulley



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.4mm
	OPENING WAY	Two Tracks / Three Tracks / Four Tracks
	GLASS	5mm+12A+5mm
	HARDWARE COLOR	Black
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	FLUSH LOCK	Mini Aluminum Profile Lock
	LOCK POINT	Stainless Steel Double Hook Lock
	WHEEL	Opac Mute Hung Wheel
	AVAILABLE SIZE	Opening Panel (Width: 580-1800 / Height: 800-3000)

## CUSTOMIZED

- 8mm Single Glass
- Dashpot






# SERIES SLIDING

## 143

### THERMAL BREAK SLIDING DOOR

- Thermal break aluminum profile
- Narrow Frame Design
- 2/3/4 Tracks is available
- can do Lift and Sliding Door



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.2mm
	OPENING WAY	Two Tracks / Three Tracks / Four Tracks
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Silver / Golden
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	FLUSH LOCK	HOPO Hook Lock
	HANDLE	HOPO 340mm Aluminum Handle
	LOCK POINT	304 Stainless Steel Single Hook Lock
	WHEEL	Customized Mute Four Wheel
	AVAILABLE SIZE	Opening Panel (Width: 580-1800 / Height: 800-3000)

## CUSTOMIZED


- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Fingerprint Lock
- Copper strip, high rail



# ALUMINUM SWING DOORS SERIES



- Three-way sealing design isobaric principle drainage
- National utility patent-six-point lock on all sides
- National Practical Patent-Built-in Diamond Wire Pressing Line







# SERIES SWING

## 80 INTERIOR SWING DOOR



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.2mm
	OPENING WAY	Outward or Inward
	GLASS	4mm+9A+4mm
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HANDLE	Aluminum Handle
	AVAILABLE SIZE	Opening Panel (Width: 350-850/Height: 400-2200)



# SERIES SWING

## 16 NARROW FRAME SWING DOOR

· Narrow Frame Design



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.4mm
	OPENING WAY	Outward or Inward
	GLASS	5mm+12A+5mm
	HARDWARE COLOR	Black
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HANDLE	Mini Aluminum Handle
	LOCK POINT	Magnetic Lock
	AVAILABLE SIZE	Opening Panel (Width: 350-850/Height: 400-2200)



# SERIES SWING

## 70XT

### THERMAL BREAK SWING DOOR / FRENCH DOOR

- Thermal break aluminum profile
- Low Track Design
- High Waterproof



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.2mm
	OPENING WAY	Single Door / Double Door
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Silver / Black
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HANDLE	HOPO Double Handle
	HINGE	Column Hinge
	LOCK POINT	Stainless steel two-point lock
	AVAILABLE SIZE	Opening Panel (Width: 350-1100/Height: 400-2800)

## CUSTOMIZED

- Flush Lock with Key
- Sliding Stopper
- Fingerprint Lock







# SERIES SWING

## P103

### THERMAL BREAK SWING DOOR / FRENCH DOOR

- Thermal break aluminum profile
- Low Track Design



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.0mm
	OPENING WAY	Single Door / Double Door
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Silver / Black
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HANDLE	HOPO Double Handle
	HINGE	Column Hinge
	LOCK POINT	Customized Black Safe Point Lock
	AVAILABLE SIZE	Opening Panel (Width: 350-1100/Height: 400-2800)

## CUSTOMIZED

- Flush Lock with Key
- Sliding Stopper
- Fingerprint Lock



DEFINITION



# ALUMINUM FOLDING DOORS SERIES



- Three-way sealing design isobaric principle drainage
- National utility patent-six-point lock on all sides
- National Practical Patent-Built-in Diamond Wire Pressing Line





# SERIES FOLDING

## 78

### THERMAL BREAK FOLDING DOOR

- Thermal break aluminum profile
- Anti-clamping hand



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	1.6mm
	OPENING WAY	Glass Panel Inward Folding / Outward Opening
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Silver / Black
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HANDLE	Kersseberg Handle
	HINGE	Kersseberg Hidden Hinge
	LOCK POINT	Kersseberg Lock
	AVAILABLE SIZE	Opening Panel (Width: 500-800/Height: 1000-2800)

## CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Folding Flyscreen





# SERIES FOLDING

**93**

## THERMAL BREAK FOLDING DOOR

- Thermal break aluminum profile
- Anti-clamping hand
- Hidden hinge



## PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.0mm
	OPENING WAY	Glass Panel Inward Folding / Outward Opening
	GLASS	5mm+27A+5mm
	HARDWARE COLOR	Silver
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)
	HANDLE	Kersseberg Handle
	HINGE	Kersseberg Hidden Hinge
	LOCK POINT	Kersseberg Lock
	AVAILABLE SIZE	Opening Panel (Width: 500-800/Height: 1000-3800)

## CUSTOMIZED

- 23A Magnet Blinds
- 27A Electric / Light Blinds
- Folding Flyscreen







# ALUMINUM SUNROOM / SKYLIGHT SERIES



- Three-way sealing design isobaric principle drainage
- National utility patent-six-point lock on all sides
- National Practical Patent-Built-in Diamond Wire Pressing Line





# SERIES SUNROOM

## SUNROOM



### PRODUCT PARAMETES

DESCRIPTION	PROFILE THINCKNESS	2.0-4.0mm
	GLASS	5mm+1.14PVB+5mm
	PROFILE COLOR	Black/White/Gray/Coffee(Powder Coating)

### CUSTOMIZED

- Casement Electric Skylight
- 27A Electric Shading System









ELECTRIC SKYLIGHT

ELECTRIC SKYLIGHT



SLIDING ROOF SKYLIGHT

SLIDING ROOF SKYLIGHT





# OTHER SERIES



- Three-way sealing design isobaric principle drainage
- National utility patent-six-point lock on all sides
- National Practical Patent-Built-in Diamond Wire Pressing Line







PIVOT  
DOOR

PIVOT DOOR

**PRODUCT PARAMETES**

DESCRIPTION	ALUMINUM THICKNESS	2.0mm
	GLASS STANDARD	Double glazing 5mm+12A+5mm

**PRODUCT PARAMETES**

DESCRIPTION	ALUMINUM THICKNESS	2.0mm
	GLASS STANDARD	Double glazing 5mm+12A+5mm
	HARDWARE STANDARD	Kerssenberg

FOLDING WINDOW

FOLDING  
WINDOW





ALUMINUM SHUTTER

ALUMINUM SHUTTER

**PRODUCT PARAMETES**

DESCRIPTION	ALUMINUM THICKNESS	1.4mm
-------------	--------------------	-------

**PRODUCT PARAMETES**

DESCRIPTION	ALUMINUM THICKNESS	1.4mm
	GLASS STANDARD	Double glazing 5mm+12A+5mm

GLASS LOUVRE

GLASS LOUVRE







# CURTAIN WALL

CURTAIN WALL

## PRODUCT PARAMETES

DESCRIPTION	ALUMINUM THICKNESS	2.0mm-3.0mm
	GLASS STANDARD	Double glazing 5mm+12A+5mm

## PRODUCT PARAMETES

DESCRIPTION	ALUMINUM THICKNESS	1.4mm
	GLASS STANDARD	Double glazing 5mm+12A+5mm

SINGLE / DOUBLE HUNG WINDOW

# SINGLE / DOUBLE HUNG WINDOW







AUTOMATIC  
GARAGE DOORS

AUTOMATIC GARAGE DOORS

## PRODUCT PARAMETES

SERIES	Automatic Garage Doors
PROFILE THICKNESS	2.5mm aluminum profile thickness
CONTROL MODEL	Remote Control ( Standard),Manual
OPENER	800N/1000N/1200N/1500N/1800N (Based on doorway's size)
GLASS	5mm tempered glass ; Clear glass ; Frosted Glass (Standard)
HINGES	2.5mm plate galvanized steel
ROLLERS	Standard (2" or 3"), Heavy Duty (2" or 3")

