




RSF INTERNATIONAL TRADING INNOVATION & BUILDER SOLUTION


GLASS & STYLE









PRODUCT PROFILE PROFILE PICTURE




DOOR LEAF(WALL THICKNESS: 2.0MM)




FLAT FRAME(WALL THICKNESS: 1.4MM)



A SINGLE PACKAGE(WALL THICKNESS: 1.4MM)




DOUBLE PACK (POSITIVE)
(WALL THICKNESS: 1.4MM)







DOUBLE PACK (REVERSE SIDE)
(WALL THICKNESS: 1.4MM)

PRODUCT PROFILE PROFILE PICTURE



SLIDING DOOR PROFILE



DOOR LEAF(WALL THICKNESS: 2.0MM)







THREE / FOUR LINKAGE ON THE TRACK
(WALL THICKNESS: 1.4MM)



CLOSURE WITH LOCK
(WALL THICKNESS: 1.4MM)

HANGNG RAIL PROFILE



16 VERY NARROW LOCK

BORDERS CAN BE COLORED



Skin enamel white

Porcelain swimming black

16 VERY NARROW LOCK

BORDERS CAN BE COLORED



Witagin

Skin enamel white

Porcelain swimming black

16 VERY NARROW LOCK

16 VERY NARROW LOCK

16 VERY NARROW LOCK

VERY BARRIW HINGE

VERY BARRIW HINGE

VERY BARRIW HINGE



16 VERY NARROW LOCK

16 VERY NARROW LOCK

16 VERY NARROW LOCK



RSF

18 EXTREMELY NARROW SERIES


RSF

18 EXTREMELY NARROW SERIES




RSF INTERNATIONAL TRADING INNOVATION & BUILDER SOLUTION


PRODUCT PROFILE PROFILE PICTURE




DOOR LEAF(WALL THICKNESS: 2.0MM)




FLAT FRAME(WALL THICKNESS: 1.4MM)



A SINGLE PACKAGE(WALL THICKNESS: 1.4MM)




DOUBLE PACK (POSITIVE)
(WALL THICKNESS: 1.4MM)




DOUBLE PACK (PERVERSE SIDE)
(WALL THICKNESS: 1.4MM)

PRODUCT PROFILE PROFILE PICTURE


SLIDING DOOR PROFILE





DOOR LEAF(WALL THICKNESS: 2.0MM)



SINGLE-TRACK(WALL THICKNESS: 1.2MM)




PUSH AND PULL THE LOWER RAIL




THREE / FOUR LINKAGE ON THE TRACK
(WALL THICKNESS: 1.4MM)



THREE LOWER RAILS
(WALL THICKNESS: 1.4MM)




CLOSURE WITH LOCK
(WALL THICKNESS: 1.4MM)




DOOR LINE
(WALL THICKNESS: 1.4MM)


HANGING RAIL PROFILE




DOOR LEAF(WALL THICKNESS: 2.0MM)



SINGLE HANGING RAIL
(WALL THICKNESS: 2.0MM)



DOUBLE HANGING RAIL
(WALL THICKNESS: 2.0MM)



THREE HANGING RAIL
(WALL THICKNESS: 2.0MM)

BORDERS CAN BE COLORED



Skin enamel white



Porcelain swimming black

BORDERS CAN BE COLORED



Waldgrün



Skin enamel white



1B VERY NARROW LOCK



VERY BARRIW HINGE



1B VERY NARROW LOCK






RSF INTERNATIONAL TRADING INNOVATION & BUILDER SOLUTION




PRODUCT PROFILE PROFILE PICTURE


1.2MM SWING DOOR PROFILE




DOOR LEAF(WALL THICKNESS: 1.15MM)



POSITIVE PACKAGE(WALL THICKNESS: 1.2MM)




REVERSE PACKAGE / BACK FRAME
(WALL THICKNESS: 1.2MM)




DOUBLE PACK (POSITIVE)
(WALL THICKNESS: 1.2MM)

PRODUCT PROFILE PROFILE PICTURE


1.2MM SLIDING DOOR PROFILE




DOOR LEAF(WALL THICKNESS: 1.2MM)




SINGLE GROUND RAIL
(WALL THICKNESS: 1.2MM)




SINGLE LIFTING RAIL
(WALL THICKNESS: 2.0MM)




TWO RAIL LIFTING RAIL
(WALL THICKNESS: 2.5MM)



MONORAIL BORDER
(WALL THICKNESS: 2.0MM)




TWO TRACKS ON THE TRACK
(WALL THICKNESS: 1.1MM)



THREE-TRACK(WALL THICKNESS: 1.4MM)



TWO-TRACK LOWER RAIL
(WALL THICKNESS: 1.3MM)




TWO RAIL SIDE SEAL
(WALL THICKNESS: 1.0MM)



THREE-TRACK LOWER RAIL
(WALL THICKNESS: 1.4MM)




THREE RAIL SIDE SEAL
(WALL THICKNESS: 1.15MM)



DOOR POCKET LINE
(WALL THICKNESS: 1.1MM)

1.2MM BORDERS CAN BE COLORED



Light beige

Yellow

Black

Grey-blue




Dark brown

Dark grey

Wood-grain

Light beige

1.2MM BORDERS CAN BE COLORED



Light beige

Yellow

Black


Grey-blue




Dark brown

PRODUCT PROFILE PROFILE PICTURE


1.4MM SWING DOOR PROFILE




DOOR LEAF(WALL THICKNESS: 2.0MM)




A SINGLE PACKAGE(WALL THICKNESS: 1.4MM)



FANBAO(WALL THICKNESS: 1.4MM)




DOUBLE PACK (POSITIVE)
(WALL THICKNESS: 1.4MM)




DOUBLE PACK (PEVERSE SIDE)
(WALL THICKNESS: 1.4MM)

PRODUCT PROFILE PROFILE PICTURE

1.4MM SLIDING DOOR PROFILE




DOOR LEAF(WALL THICKNESS: 1.5MM)




TWO TRACKS ON THE TRACK
(WALL THICKNESS: 1.3MM)




THREE-TRACK
(WALL THICKNESS: 1.4MM)




TWO-TRACK LOWER RAIL
(WALL THICKNESS: 1.3MM)



THREE-TRACK LOWER RAIL
(WALL THICKNESS: 1.4MM)



THREE LINKAGES ON THE TRACK
(WALL THICKNESS: 1.4MM)



THREE-TRACK WATER BLOCKING HIGH RAIL
(WALL THICKNESS: 1.4MM)



DOOR LINE
(WALL THICKNESS: 1.4MM)

1.4MM BORDERS CAN BE COLORED



1.4MM BORDERS CAN BE COLORED



45 NARROW-EDGED LOCK



45 NARROW-EDGED LOCK



VERY BARRIW HINGE



THE PULLEY ACCESSORIES







RSF INTERNATIONAL TRADING INNOVATION & BUILDER SOLUTION



PRODUCT PROFILE PROFILE PICTURE




DOOR LEAF(WALL THICKNESS: 1.0MM)



A SINGLE PACKAGE(WALL THICKNESS: 1.0MM)



DOUBLE PACK (POSITIVE)
(WALL THICKNESS: 1.0MM)




DOUBLE PACK (PEVERSE SIDE)
(WALL THICKNESS: 1.0MM)


PRODUCT PROFILE PROFILE PICTURE

推拉门型材


SLIDING DOOR PROFILE




DOOR LEAF(WALL THICKNESS: 1.0MM)




TWO TRACKS ON THE TRACK
(WALL THICKNESS: 1.1MM)



THREE ON THE RAIL TRACK
(WALL THICKNESS: 1.2MM)




TWO RAIL EDGE-SEALING
(WALL THICKNESS: 1.0MM)




THREE-TRACK SIDE SEAL ON THE
TRACK(WALL THICKNESS: 1.2MM)




TWO-TRACK LOWER RAIL
(WALL THICKNESS: 1.1MM)




THREE-TRACK GROUND RAIL
(WALL THICKNESS: 1.3MM)



SINGLE TRACK
(WALL THICKNESS: 1.1MM)



TWO-TRACK WATER-RETAINING
GROUND RAIL(WALL THICKNESS: 1.1MM)




THREE-TRACK WATER RETAINING
RAIL(WALL THICKNESS: 1.2MM)




DOOR LINE
(WALL THICKNESS: 1.0MM)


HANGNG RAIL PROFILE



DOOR LEAF(WALL THICKNESS: 1.0MM)





SINGLE HANGING RAILS
(WALL THICKNESS: 2.0MM)




DOUBLE HANGING RAIL
(WALL THICKNESS: 2.0MM)

RSF INTERNATIONAL TRADING INNOVATION & BUILDER SOLUTION
BORDERS CAN BE COLORED



RSF INTERNATIONAL TRADING INNOVATION & BUILDER SOLUTION
BORDERS CAN BE COLORED



1. DVERY NARROW LOCK



VERY BARRIW HINGE




1. DVERY NARROW LOCK




THE PULLEY ACCESSORIES



BORDERS CAN BE COLORED



BORDERS CAN BE COLORED



1.2VERY NARROW LOCK



VERY BARRIW HINGE



1.2VERY NARROW LOCK



THE PULLEY ACCESSORIES























RSF INTERNATIONAL TRADING INNOVATION & BUILDER SOLUTION



PRODUCT PROFILE PROFILE PICTURE



PRODUCT PROFILE PROFILE PICTURE



BORDERS CAN BE COLORED




BORDERS CAN BE COLORED



07NARRPW EDGE SEROES SERIES LOCKS



07 NARROW MARGIN SEIES HINGE



07NARRPW EDGE SEROES SERIES LOCKS



THE PULLEY ACCESSORIES





▶ VERY NARROW SERIES FLAT DOOR

BE MINIMALIST AND ENJOY LIFE
LIGHT LUXURY, MINIMALIST, HIGH
QUALITY FLAT DOOR



▶ TRACKLESS SLIDING DOOR

BE MINIMALIST AND ENJOY LIFE
LIGHT LUXURY, MINIMALIST, HIGH
QUALITY FLAT DOOR




◀ CUSTOM VERY NARROW FLAT DOOR

CUSTOMIZED HIGH-END LIFE
NARROW A LOW-KEY STYLE WITHOUT
LOSING THE CONNOTATION



◀ GROUND RAIL SLIDING DOOR

THE LIGHT SWITCHES FREELY
HIGH LEVEL OF APPEARANCE
AND PANORAMIC VIEW COEXISTS





COPPER STRIP SLIDING DOOR

CREATE A LIGHT AND LUXURIOUS
PERSONALIZED LIFE FOR YOU WITH
BRIGHT SPACE AND COMFORTABLE
ENJOYMENT







CUSTOM B7 VERY NARROW FLAT DOOR

LIGHT LUXURY STYLE, EXPERIENCE
MINIMALISM. THE FRAME IS
NARROWER AND MORE DELICATE



A VARIETY OF STYLES CAN BE CUSTOMIZED

IN LIMITED SPACE TO CREATE
MORE POSSIBILITIES, LIFE IS
WORTHY OF EXPECTATION







RSF INTERNATIONAL TRADING INNOVATION & BUILDER SOLUTION











IT'S NOT JUST ABOUT APPEARANCE
IT'S ALSO ABOUT STRENGTH
EVERY DOOR IS A LANDSCAPE

CUSTOM-MADE CLAMPED SLIDING DOOR



THE MINIMALISM
OF THE PERFECTIONIST
THERE IS NO CONVEX INTERFACE





A DOOR, AMAZING HOME EUROPEAN-STYLE
SIMPLICITY,CALM AND LOW-KEY CONNOTATION

RSF INTERNATIONAL TRADING INNOVATION & BUILDER SOLUTION

WHEN THE HEART AND NATURE ARE TOGETHER,WE WILL ALWAYS BE AT PEACE,
WHICH IS WHAT MODERNPEOPLE ARE STRIVING FOR



52 NARROW BEZEL FLAT DOOR

NARROW-EDGE DESIGN LOOKS
HORIZONTALLY MAKE LIFE
HEALTHIER AND BETTER



SLIDING DOOR WITH NARROW FRAME

IMPROVE THE STYLE OF HOME, IS
WILLING TO BRING YOU A
COMFORTABLE HOME FEELING









TASTE SIMPLE, ENJOY LIFE



MINIMALIST ART EXQUISITE LIFE

INJECT VITALITY INTO QUALITY LIFE



PROMOTE FREELY, SAVE SPACE



SMALL ENDOWMENT EMOTIONAL APPEAL, MAKE THE EGO SPACE THAT GIVES RELAXED AND COMFORTABLE







REDEFINE THE SPACE TRANSFORMATION

THE COLORS ARE CAREFULLY
MODULATED TO CREATE
EXQUISITE COLORS



REDEFINING SPACE TRANSFORMATION

UNIQUE CRAFTSMANSHIP,
SELECTION OF HIGH QUALITY
ACCESSORIES

