



Customized high-end PVC Door&window

0



PVC COLOR

CONTENTS PVC Door&window Products

0

1.	PVC 60 CASEMENT WINDOW SERIES	OS
2.	PVC 60 CASEMENT DOOR SERIES	07
3.F	PVC 88 SLIDING WINDOW SERIES	09
4.F	PVC 72 CASEMENT WINDOW SERIES	11
5.	PVC 72 CASEMENT DOOR SERIES	13
6.	PVC 82 CASEMENT WINDOW SERIES	15
7.	PVC 108 SLIDING WINDOW SERIES	17
8.	PVC 195 SLIDING DOOR SERIES	19
9.	PVC 195 SLIDING DOOR SERIES	21

PVC 60 CASEMENT WINDOW SERIES

Customized high-end PVC Door&window



Product Performance Characteristics

- 1. Comply with the requirements of material and window & door standards
- 2. Multi cavity structures. Excellent thermal insulation performance.
- 3. Excellent sound insulation performance
- 4. Various color options available
- 5. The profile structure has superior drainage performance









PVC 60 CASEMENT DOOR SERIES

Customized high-end PVC Door&window



Product Performance Characteristics

- 1. Comply with the requirements of material and window & door standards
- 2. Multi cavity structures. Excellent thermal insulation performance.
- 3. Excellent sound insulation performance
- 4. Various color options available
- 5. The profile structure has superior drainage performance









PVC 88 SLIDING WINDOW SERIES

Customized high-end PVC Door&window



Product Performance Characteristics


- 1. Comply with the requirements of material and window & door standards
- 2. Multi cavity structures. Excellent thermal insulation performance.
- 3. With high cost performance
- 4. Various color options available
- 5. The profile structure has remarkable drainage performance











PVC 72 CASEMENT WINDOW SERIES

Customized high-end PVC Door&window



Product Performance Characteristics

- German calcium and zinc formula. After long-term inspection,
 it's firm and stable.
- 2. Soft and long-lasting color. Even and smooth surface. Soft and delicate.
- The welding angle and impact strength are 5% to 15% higher than those of regular UPVC materials.
- 4. Various color options available
- 5. Triple sealing provides outstanding water tightness and air tightness.









PVC 72 CASEMENT DOOR SERIES

Customized high-end PVC Door&window




Product Performance Characteristics

- German calcium and zinc formula. After long-term inspection,
 it's firm and stable.
- 2. Soft and long-lasting color. Even and smooth surface. Soft and delicate.
- The welding angle and impact strength are 5% to 15% higher than those of regular UPVC materials.
- 4. Various color options available
- 5. Triple sealing provides outstanding water tightness and air tightness.









PVC 82 CASEMENT WINDOW SERIES

Customized high-end PVC Door&window



Product Performance Characteristics

- German calcium and zinc formula. After long-term inspection,
 it's firm and stable.
- 2. Soft and long-lasting color. Even and smooth surface. Soft and delicate.
- The welding angle and impact strength are 5% to 15% higher than those of regular UPVC materials.
- 4. Various color options available
- 5. Triple sealing provides outstanding water tightness and air tightness.











PVC 108 SLIDING WINDOW SERIES

Customized high-end PVC Door&window



Product Performance Characteristics

- 1. Comply with the requirements of material and window & door standards
- 2. Multi cavity structures. Excellent thermal insulation performance.
- 3. With high cost performance
- 4. Various color options available
- 5. The profile structure has remarkable drainage performance










PVC 195 SLIDING DOOR SERIES

Customized high-end PVC Door&window



Product Performance Characteristics

- German calcium and zinc formula. After long-term inspection,
 it's firm and stable.
- 2. Soft and long-lasting color. Even and smooth surface. Soft and delicate.
- The welding angle and impact strength are 5% to 15% higher than those of regular UPVC materials.
- 4. Various color options available
- 5. The profile structure has superior drainage performance









PVC FOLDING DOOR SERIES

Customized high-end PVC Door&window



Product Performance Characteristics

- German calcium and zinc formula. After long-term inspection,
 it's firm and stable.
- 2. Soft and long-lasting color. Even and smooth surface. Soft and delicate.
- The welding angle and impact strength are 5% to 15% higher than those of regular UPVC materials.
- 4. Various color options available
- 5. The profile structure has superior drainage performance







