


BLINDS & SHADES


Free Light Control
for Day and Night



BLINDS & SHADES



SHANGRI-LA SHADES





Woven Shangri-La







BLACKOUT SHANGRI-LA SHADES

Bloomberg


55mm



XG6012-1 Chalk




XG6012-6 Sand



XG6012-2 Creamy



XG6012-8 Chocolate



XG6012-4 Platinum

■ Composition
Polyester100%

■ Finished Width
300cm/118"

■ Weight M²
195±5%(g/m²)
5.8±5%(oz/yd²)

■ Circulation Size
55mm/75mm

■ Color Fastness
5-6 Grade

■ Formaldehyde Content
0%


■ Environment
GREENGUARD

■ Translucent/Blackout
Blackout


SHANGRI-LA SHADES

Atlantic



55mm




XG6013-0 Glacier White



XG6013-4 Gray Violet





XG6013-1 Chalk



XG6013-7 Desert



XG6013-2 Linen



XG6013-8 Taupe

■ Composition
Polyester100%

■ Finished Width
300cm/118"

■ Weight M²
145±5%(g/m²)
4.3±5%(oz/yd²)

■ Circulation Size
55mm/75mm

■ Color Fastness
5-6 Grade

■ Formaldehyde Content
0%

■ Environment
GREENGUARD

■ Translucent/Blackout
Translucent



SHANGRI-LA SHADES

Breeze

55mm



XG6017-1 Flax



XG6017-4 Khaki







XG6017-2 Linen

- Composition
Polyester90%+
10%Linen
- Finished Width
300cm/118"
- Weight M²
260±5%(g/m²)
7.7±5%(oz/yd²)
- Circulation Size
55mm/75mm
- Color Fastness
5-6 Grade
- Formaldehyde Content
0%
- Environment
GREENGUARD
- Translucent/Blackout
Translucent

SHANGRI-LA SHADES


Portola

55mm



XG6020-1 Swan

XG6020-4 Gray Violet



XG6020-2 Vanilla

■ Composition
Polyester100%

■ Finished Width
300cm/118"

■ Weight M²
275±5%(g/m²)
8.1±5%(oz/yd²)

■ Circulation Size
55mm/75mm

■ Color Fastness
5-6 Grade

■ Formaldehyde Content
0%

■ Environment
GREENGUARD

■ Translucent/Blackout
Translucent

SHANGRI-LA SHADES

Banbury


55mm




Waterproof




XG2002-0 Luminous



XG2002-10 Onyx



XG2002-1 Rich Cream



XG2002-5 Granite

■ Composition
Polyester100%

■ Finished Width
300cm/118"

■ Weight M²
190±5%(g/m²)
5.6±5%(oz/yd²)

■ Circulation Size
55mm/75mm

■ Color Fastness
5-6 Grade

■ Formaldehyde Content
0%

■ Environment
GREENGUARD



■ Translucent/Blackout
Translucent

DRAPERY SHADES







DRAPERY SHADES




Hampton LF




MH1001-1 (A)(B)
Swan



MH1001-2 (A)(B)
Cloud



MH1001-3 (A)(B)
Vanilla



MH1001-4 (A)
Sand



MH1001-5 (A)
Nimbus



MH1001-6 (A)(B)
Cadet Gray



MH1001-7 (A)(B)
Shadow



MH1001-8 (A)(B)
Terra



MH1001-9 (A)
Bronze



MH1001-10 (A)
Graphite


(A) Finished Width: 40cm
Weight: 76g/m±2%

(B) Finished Width: 33cm
Weight: 60g/m±2%

DREAM BLINDS




■ 3 Highlights for protections




- Water proof
- Oil proof
- Stain resistant


■ Can peek or go through easily



■ Change single panel quick




■ Amount of light entering is controllable




100% opening 50% opening total closing


■ High quality accessories




DRAPERY SHADES




Hampton BO




MH1001BO-1 (A)(B)
Cotton




MH1001BO-1 (A)(B)
Cotton




MH1001BO-2 (A)(B)
Cream




MH1001BO-3 (A)(B)
Vanilla



MH1001BO-5 (A)(B)
Nimbus



MH1001BO-7 (A)(B)
Shadow



MH1001BO-8 (A)(B)
Terra


(A) Finished Width: 40cm
Weight: 115g/m±2%

(B) Finished Width: 33cm
Weight: 93g/m±2%

DREAM BLINDS




■ 3 Highlights for protections




- Water proof
- Oil proof
- Stain resistant


■ Can peek or go through easily



■ Change single panel quick



■ Amount of light entering is controllable




100% opening


50% opening

total closing


■ High quality accessories



DRAPERY SHADES




Circle




MH1007-1
Swan


Finished Width: 40cm
Weight: 76g/m \pm 2%



MH1007-2
Cloud



MH1007-3
Vanilla




MH1007-4
Sand



MH1007-5
Nimbus




MH1007-6
Cadet Gray




MH1007-7
Shadow



MH1007-8
Terra



MH1007-9
Bronze




MH1007-10
Graphite

DREAM BLINDS




■ 3 Highlights for protections




- Water proof
- Oil proof
- Stain resistant


■ Can peek or go through easily



■ Change single panel quick




■ Amount of light entering is controllable




100% opening 50% opening total closing

■ High quality accessories




DRAPERY SHADES




Carnival



SUM1001-1 (A)(B)
Calico




SUM1001-2 (A)(B)
French Gray



SUM1001-3 (A)(B)
Slate



SUM1001-4 (A)(B)
Indigo




SUM1001-5 (A)(B)
Raven

(A) Finished Width: 40cm
Weight: 107g/m±2%

(B) Finished Width: 33cm
Weight: 84g/m±2%


DREAM BLINDS

■ 3 Highlights for protections




- Water proof
- Oil proof
- Stain resistant


■ Can peek or go through easily




■ Change single panel quick





■ Amount of light entering is controllable




■ High quality accessories






HN1003-3
Pebble




HN1003-1
Salt



HN1003-2
Linen

HANAS SHADES



FABRIC TECHNICAL PARAMETERS HN1003



Composition
100%Polyester



Finished Width
300cm



Color Fastness
Up To 5-6 Grade



Formaldehyde Content
None



Weight
135g/m²±5%




Circulation Size
10.5cm*12cm



Translucent




VERTICAL BLINDS





VERTICAL BLINDS

Parma



Available in 89mm/127mm



White

CL07001




Calico

CL07002




Wheat

CL07003



Sky

CL07004



Grey

CL07007




Rustico

CL07009




VERTICAL BLINDS

Medlin




Available in 89mm/127mm



Foggy White

CL88018




Sweet corn

CL8802B




Earth

CL8804B




Gray Violet

CL8807B



Cement

CL8811B




Charcoal

CL8813B



ROMAN SHADES





Fiji Light Filtering



Rich Cream / LM1301-1



Wheat / LM1301-2





Bronze / LM1301-3




Graphite / LM1301-4

 Composition
100% Polyester


 Weight (Peso)
210±5%(g/m²)
6.2±5%(oz/yd²)

 Average Density (Densidad)
60%

 Fabric Thickness
0.80mm

 UV Protection

 Finished Width (Ancho)
280cm
110"

 Light Fastness (Solidez a la luz)
≥6Grade
(ISO 105 B02)

 Weft Deviation (Desviación de trama)
≤1%

 Environment (Medio ambiente)
GREENGUARD

Information contained in this sheet is only indicative and may not be considered as binding
La información contenida en esta hoja es indicativa y no puede ser considerada vinculante.

CUTTING:



Cold




UltrasonicCut

APPLICATIONS:




Roller



Panels


Sheer Vision Light Filtering





Cotton / RM1411



Mist / RM1412

 Composition
100% Polyester


 Weight (Peso)
170±5%(g/m²)
5.0±5%(oz/yd²)


 Openness Factor
Average 8%

 Fabric Thickness
0.48mm

 UV Protection

 Finished Width (Ancho)
300cm
118"

 Light Fastness (Solidez a la luz)
≥6Grade
(ISO 105 B02)

 Weft Deviation (Desviación de trama)
≤1%

 Environment (Medio ambiente)
GREENGUARD

Information contained in this sheet is only indicative and may not be considered as binding
La información contenida en esta hoja es indicativa y no puede ser considerada vinculante.

CUTTING:




Cold




UltrasonicCut

APPLICATIONS:




Roller



Panels


Eco Screen Light Filtering




Chalk / RM1351-1




Oyster / RM1351-2



Flax / RM1351-4




Tan / RM1351-5





Ash / RM1351-7

 Composition
100%Polyester

 Finished Width (Ancho)
250cm
98"

 Weight (Peso)
190±5%(g/m²)
5.6±5%(oz/yd²)

 Light Fastness (Solidez a la luz)
≥6Grade
(ISO 105 B02)

 Openness Factor
Average 8%

 Weft Deviation (Desviación de trama)
≤1%

 Fabric Thickness
0.46mm

 Environment (Medio ambiente)
GREENGUARD

 UV Protection

Information contained in this sheet is only indicative and may not be considered as binding
La información contenida en esta hoja es indicativa y no puede ser considerada vinculante.

CUTTING:


APPLICATIONS:




Cold



UltrasonicCut



Roller



Panels

Allegro Blackout




JL15302B
Cream





JL15303B
Khaki




JL15311B
Brown


 Composition
95%Polyester+
5% Linen


 Weight
(Peso)
470±5%(g/m²)
13.9±5%(oz/yd)


 Blackout Rate
(Opacidad)
100%

 Fabric Thickness
0.60mm

 UV Protection

 Finished Width
(Ancho)
200/300cm
79"/118"

 (Solidez a la luz)
≥6Grade
(ISO 105 B02)

 Weft Deviation
(Desviación de trama)
≤1%

 Environment
(Medio ambiente)
GREENGUARD

Information contained in this sheet is only indicative and may not be considered as binding
La información contenida en esta hoja es indicativa y no puede ser considerada vinculante.

CUTTING:



Cold




UltrasonicCut

APPLICATIONS:



Roller



Panels

Allegro Light Filtering




JL2502
Cream





JL2503
Khaki




JL2511
Brown


 Composition
95% Polyester +
5% Linen


 Weight
(Peso)
260±5%(g/m²)
7.7±5%(oz/yd²)

 Average Density
(Densidad)
95%

 Fabric Thickness
0.50mm

 UV Protection

 Finished Width
(Ancho)
200/300cm
79"/118"

 Light Fastness
(Solidez a la luz)
≥6Grade
(ISO 105 B02)

 Weft Deviation
(Desviación de trama)
≤1%

 Environment
(Medio ambiente)
GREENGUARD

Information contained in this sheet is only indicative and may not be considered as binding
La información contenida en esta hoja es indicativa y no puede ser considerada vinculante.

CUTTING:




Cold




UltrasonicCut

APPLICATIONS:



Roller



Panels

Paulina Blackout




RM0733
Flax





RM0735
Mint




RM0737
Haze

 Composition
100% Polyester


 Weight
(Peso)
340±5%(g/m²)
10.0±5%(oz/yd²)


 Blackout Rate
(Opacidad)
100%

 Fabric Thickness
0.53mm

 UV Protection

 Finished Width
(Ancho)
300cm
118"

 (Solidez a la luz)
≥6Grade
(ISO 105 B02)

 Weft Deviation
(Desviación de trama)
≤1%

 Environment
(Medio ambiente)
GREENGUARD

Information contained in this sheet is only indicative and may not be considered as binding
La información contenida en esta hoja es indicativa y no puede ser considerada vinculante.

CUTTING:



Cold




UltrasonicCut

APPLICATIONS:




Roller



Panels

Solvision Light Filtering



Swan / LM1016-1



Oyster / LM1016-2




Platinum / LM1016-3





Tan / LM1016-4




Blazer / LM1016-5

 Composition
100% Polyester


 Weight (Peso)
130±5%(g/m²)
3.8±5%(oz/yd²)

 Average Density (Densidad)
80%

 Fabric Thickness
0.57mm

 UV Protection

 Finished Width (Ancho)
300cm
118"

 (Solidez a la luz)
≥6Grade
(ISO 105 B02)

 Weft Deviation (Desviación de trama)
≤1%

 Environment (Medio ambiente)
GREENGUARD

Information contained in this sheet is only indicative and may not be considered as binding
La información contenida en esta hoja es indicativa y no puede ser considerada vinculante.

CUTTING:



Cold




UltrasonicCut

APPLICATIONS:



Roller




Panels


Dichroic Blackout




Chalk / RM1222




Platinum / RM1223




Nimbus / RM1224





Flax / RM1226




Duchess Grey / RM1227

 Composition
100% Polyester


 Weight
(Peso)
400±5%(g/m²)
11.8±5%(oz/yd)


 Blackout Rate
(Opacidad)
100%

 Fabric Thickness
0.46mm

 UV Protection

 Finished Width
(Ancho)
300cm
118"

 (Solidez a la luz)
≥6Grade
(ISO 105 B02)

 Weft Deviation
(Desviación de trama)
≤1%

 Environment
(Medio ambiente)
GREENGUARD

Information contained in this sheet is only indicative and may not be considered as binding
La información contenida en esta hoja es indicativa y no puede ser considerada vinculante.

CUTTING:



Cold




UltrasonicCut

APPLICATIONS:



Roller



Panels



 **NATURAL LINEN
SHADES**



NATURAL LINEN SAHDES


ML-0101

White



ML-0102

Beige



NATURAL LINEN SAHDES

ML-0110

Flax



ML-0111

Cocoa



NATURAL LINEN SAHDES

ML-5501

Driftwood



ML-1908


Black








HONEYCOMB SHADES







LIGHT FILTERING 25mm



HS012501



HS012503



HS012506



HS012507



HS012510



HS012511




HS012512




HS012515



HS012518



HS012520



ROOM DARKENING 25mm



HS01B2501



HS01B2503



HS01B2506




HS01B2507



HS01B2510



HS01B2511




HS01B2512



HS01B2515



HS01B2518



HS01B2520



HONEY COMB SHADES

Light Filtering 38mm



HS013801



HS013802



HS013803



HS013806



HS013807




HS013808



HS013809



HS013810



HS013811



HS013812



HS013814



HS013815



HS013816



HS013818



HS013819



HS013820



HONEY COMB SHADES

Room Darkening 38mm



HS01B3801



HS01B3802



HS01B3803



HS01B3806



HS01B3807




HS01B3808



HS01B3809



HS01B3810



HS01B3811




HS01B3812



HS01B3814



HS01B3815



HS01B3816



HS01B3818



HS01B3819




HS01B3820

HONEY COMB SHADES




View Through
Light Filtering 26/38mm




S26001/S38001



S26002/S38002



S26005/S38005



S26006/S38006

Woven Fabric
Room Darkening 38mm



V001



V002



V003



V004

Cell in cell
Light Filtering 38mm



Z001/ZB001



Z002/ZB002



Z003/ZB003



Z004/ZB004



HONEY COMB SHADES

Cell in cell
Light Filtering 45mm



Y001 / YB001



Y006 / YB006



Y012 / YB012



Y017 / YB017



Y003 / YB003



Y007 / YB007



Y013 / YB013



Y018 / YB018



Y004 / YB004



Y010 / YB010



Y014 / YB014



Y019 / YB019



Y005 / YB005



Y011 / YB011



Y016 / YB016



Y020 / YB020



HONEY COMB SHADES

Cell in cell
Light Filtering 38mm



R001 / RB001



R005 / RB005



R009 / RB009



R013 / RB013



R017 / RB017



R002 / RB002



R006 / RB006



R010 / RB010



R014 / RB014



R018 / RB018



R003 / RB003



R007 / RB007



R011 / RB011



R015 / RB015



R019 / RB019



R004 / RB004



R008 / RB008



R012 / RB012



R016 / RB016




R020 / RB020



ALUMINUM BLINDS
FABRIC VENETIAN
WOOD BLINDS







ALUMINUM BLINDS

Matte 25mm



LB25-44



LB25-46



LB25-47




LB25-48




LB25-49



LB25-50



LB25-51




LB25-52



LB25-53




LB25-54



LB25-58



LB25-59



LB25-62



LB25-63



LB25-67



LB25-68



LB25-69




LB25-70




DOUBLE SIDED COLOR

50mm




Front

BY1001-1



The Back




Front

BY1001-3




The Back




Front

BY1001-7




The Back



Front

BY1001-8




The Back

FABRIC VENETIAN


50mm




BY1003-1



BY1003-2



BY1003-6



BY1003-7



WOOD BLINDS

50mm



PS Venetian



FMY5001



FMY5002



Basswood



MY5200



FMY5201



FMY5203




FMY5208

*The Whole House
Customization Services*



*Our shades offer a modern,
sleek look compared to most
other window treatment.
They're easy to clean and
operate!*



Modern Stylish
minimalism

BEAUTIFULLY DIFFUSE LIGHT
TO YOUR EXPECTATION

**BLINDS
&
SHADES**